


## The All-new Renault Mégane E-TECH Electric



Dimensions (mm)



TRUNK (L / dm <sup>3</sup> VDA)	
Trunk volume	440 / 389
Cable storage space	32 / 22
Maximum trunk volume with rear bench folded down	1332 / 1245
DIMENSIONS (mm)	
Overall length	4199
Wheelbase	2685
Front overhang	800
Rear overhang	715
Overall width without mirrors (*depending on version) / with unfolded mirrors	1768-1783* / 2055
Front track ground	1548
Rear track ground	1530
Overall height (without roof bars)	1505
Open tailgate height	2017
Trunk sill height	784
Ground clearance (unladen)	135
Knee radius in 2nd row	209
Front elbow room	1404
Rear elbow room	1378
Front shoulder width	1396
Rear shoulder width	1312
Front headroom	887
Rear headroom	835
Trunk entry maximum width	982
Interior width between wheel arches	963
Maximum load length with rear bench folded	1500

DIMENSIONS AND TECHNICAL DATA ALL-NEW RENAULT MÉGANE E-TECH ELECTRIC

	ALL-NEW MÉGANE E-TECH ELECTRIC					
Version	EV40 130ch Standard Charge	EV40 130ch Boost Charge	ER EV60 130ch Super Charge	ER EV60 130ch Optimum Charge	EV60 220ch Super Charge	EV60 220ch Optimum Charge
<b>ENGINE</b>						
Type	electrically excited synchronous motor (EESM)					
Aproval protocol	WLTP					
Maximum power (kW)	96			160		
Maximum torque (Nm)	250			300		
<b>BATTERY</b>						
Type	Lithium-ion					
Voltage (V)	400					
Capacity (kWh)	40		60			
Weight (kg) ( +/-5)	290		394			
<b>PERFORMANCE</b>						
Top speed (kph)	150			160		
0 - 100 km/h (s)	10		10,5		7,4	
1 000 m standing start (s)	32		32,4		28,7	
Resumption 80-120 km/h	6,9		7,1		4,4	
SCx	0,713		0,676		0,713	
<b>RANGE AND CONSUMPTION (WLTP)</b>						
Combined cycle (km)	300		470		450	
Approved consumption in the combined cycle (kWh/100 km)	15,8		15,5		16,1	
<b>CHARGING TIME (0-100%)</b>						
Onboarded charger	AC7	AC22+DC85	AC7+DC130	AC22+DC130	AC7+DC130	AC22+DC130

## DIMENSIONS AND TECHNICAL DATA ALL-NEW RENAULT MÉGANE E-TECH ELECTRIC

Domestic socket 2,3 kW (single-phase 10A)	20h49		30h28			
Reinforced socket / domestic charging point 3,7 kW (single-phase 16A)	12h12		17h51			
Domestic charging point 7,4 kW (single-phase 32A)	6h17		9h11			
Charging station 11 kW (triphasee 16A)	12h12	4h23	17h51	6h25	17h51	6h25
Charging station 22 kW (triphasee 32A)	6h17	2h10	9h11	3h10	9h11	3h10
Charging station 85kW/130kW (DC)	N/A	1h	1h14			
<b>BRAKES</b>						
Diameter / thickness of vented front discs (mm)	320 / 28					
Diameter / thickness of solid rear discs (mm)	292 / 16					
<b>TYRES</b>						
Tire size	195/60 R18 ou 215/55 R20 (according to trim level)					
Spare wheel	no					
<b>STEERING</b>						
Type	Electric power steering					
Turning circle, curb to curb (m)	10,4					
Steering wheel turns, lock to lock	2,3					
Front axle	Pseudo McPherson					
Rear axle	Multi-link					
<b>WEIGHT</b>						
Kerb weight (kg)	1513	1541	1624		1636	
Gross vehicle weight (kg)	2017	2050	2116		2158	
Gross train weight (kg)	2517	2550	2616		3058	
Max. braked trailer weight (kg)	500				900	
Max. unbraked trailer weight (kg)	500				750	